
## The Incenter/Excenter Lemma

EVAN CHEN\*

August 6, 2016

In this short note, we'll be considering the following very useful lemma.

**Lemma.** Let ABC be a triangle with incenter I, A-excenter  $I_A$ , and denote by L the midpoint of arc BC. Show that L is the center of a circle through I,  $I_A$ , B, C.



*Proof.* This is just angle chasing. Let  $A = \angle BAC$ ,  $B = \angle CBA$ ,  $C = \angle ACB$ , and note that A, I, L are collinear (as L is on the angle bisector). We are going to show that LB = LI, the other cases being similar.

First, notice that

$$\angle LBI = \angle LBC + \angle CBI = \angle LAC + \angle CBI = \angle IAC + \angle CBI = \frac{1}{2}A + \frac{1}{2}B.$$

However,

$$\angle BIL = \angle BAI + \angle ABI = \frac{1}{2}A + \frac{1}{2}B.$$

Hence,  $\triangle BIL$  is isosceles. So LB = LI. The rest of the proof proceeds along these lines.

Now, let's see where this lemma has come up before...

<sup>\*</sup>Email: contact@evanchen.cc

### 1 Mild Embarrassments

**Problem 1** (USAMO 1988). Triangle ABC has incenter I. Consider the triangle whose vertices are the circumcenters of  $\triangle IAB$ ,  $\triangle IBC$ ,  $\triangle ICA$ . Show that its circumcenter coincides with the circumcenter of  $\triangle ABC$ .

**Problem 2** (CGMO 2012). The incircle of a triangle ABC is tangent to sides AB and AC at D and E respectively, and O is the circumcenter of triangle BCI. Prove that  $\angle ODB = \angle OEC$ .

**Problem 3** (CHMMC Spring 2012). In triangle ABC, the angle bisector of  $\angle A$  meets the perpendicular bisector of  $\overline{BC}$  at point D. The angle bisector of  $\angle B$  meets the perpendicular bisector of  $\overline{AC}$  at point E. Let F be the intersection of the perpendicular bisectors of  $\overline{BC}$  and  $\overline{AC}$ . Find DF, given that  $\angle ADF = 5^{\circ}$ ,  $\angle BEF = 10^{\circ}$  and AC = 3.

**Problem 4** (Nine-Point Circle). Let ABC be an acute triangle with orthocenter H. Let D, E, F be the feet of the altitudes from A, B, C to the opposite sides. Show that the midpoint of  $\overline{AH}$  lies on the circumcircle of  $\triangle DEF$ .

#### 2 Some Short-Answer Problems

**Problem 5** (HMMT 2011). Let ABCD be a cyclic quadrilateral, and suppose that BC = CD = 2. Let I be the incenter of triangle ABD. If AI = 2 as well, find the minimum value of the length of diagonal BD.

**Problem 6** (HMMT 2013). Let triangle ABC satisfy 2BC = AB + AC and have incenter I and circumcircle  $\omega$ . Let D be the intersection of AI and  $\omega$  (with A, D distinct). Prove that I is the midpoint of AD.

**Problem 7** (Online Math Open 2014/F19). In triangle ABC, AB = 3, AC = 5, and BC = 7. Let E be the reflection of A over  $\overline{BC}$ , and let line BE meet the circumcircle of ABC again at D. Let I be the incenter of  $\triangle ABD$ . Compute  $\cos \angle AEI$ .

**Problem 8** (NIMO 2012). Let ABXC be a cyclic quadrilateral such that  $\angle XAB = \angle XAC$ . Let I be the incenter of triangle ABC and by D the foot of I on  $\overline{BC}$ . Given AI = 25, ID = 7, and BC = 14, find XI.

# 3 Intermediate Examples

**Problem 9.** Let ABC be an acute triangle such that  $\angle A = 60^{\circ}$ . Prove that IH = IO, where I, H, O are the incenter, orthocenter, and circumcenter.

**Problem 10** (IMO 2006). Let ABC be a triangle with incenter I. A point P in the interior of the triangle satisfies

$$\angle PBA + \angle PCA = \angle PBC + \angle PCB$$
.

Show that  $AP \geq AI$ , and that equality holds if and only if P = I.

**Problem 11** (APMO 2007). In triangle ABC, we have AB > AC and  $\angle A = 60^{\circ}$ . Let I and H denote the incenter and orthocenter of the triangle. Show that  $2\angle AHI = 3\angle B$ .

**Problem 12** (ELMO 2013, Evan Chen). Triangle ABC is inscribed in circle  $\omega$ . A circle with chord BC intersects segments AB and AC again at S and R, respectively. Segments BR and CS meet at L, and rays LR and LS intersect  $\omega$  at D and E, respectively. The internal angle bisector of  $\angle BDE$  meets line ER at K. Prove that if BE = BR, then  $\angle ELK = \frac{1}{2} \angle BCD$ .

**Problem 13** (Online Math Open 2012/F27). Let ABC be a triangle with circumcircle  $\omega$ . Let the bisector of  $\angle ABC$  meet segment AC at D and circle  $\omega$  at  $M \neq B$ . The circumcircle of  $\triangle BDC$  meets line AB at  $E \neq B$ , and CE meets  $\omega$  at  $P \neq C$ . The bisector of  $\angle PMC$  meets segment AC at  $Q \neq C$ . Given that PQ = MC, determine the degree measure of  $\angle ABC$ .

### 4 Harder Tasks

**Problem 14** (Iran 2001). Let ABC be a triangle with incenter I and A-excenter  $I_A$ . Let M be the midpoint of arc BC not containing A, and let N denote the midpoint of arc MBA. Lines NI and  $NI_A$  intersect the circumcircle of ABC at S and T. Prove that the lines ST, BC and AI are concurrent.

**Problem 15** (Online Math Open 2014/F26). Let ABC be a triangle with AB = 26, AC = 28, BC = 30. Let X, Y, Z be the midpoints of arcs BC, CA, AB (not containing the opposite vertices) respectively on the circumcircle of ABC. Let P be the midpoint of arc BC containing point A. Suppose lines BP and XZ meet at M, while lines CP and XY meet at N. Find the square of the distance from X to MN.

**Problem 16** (Euler). Let ABC be a triangle with incenter I and circumcenter O. Show that  $IO^2 = R(R-2r)$ , where R and r are the circumradius and inradius of  $\triangle ABC$ , respectively.

**Problem 17** (IMO 2010). Let I be the incenter of a triangle ABC and let  $\Gamma$  be its circumcircle. Let the line AI intersect  $\Gamma$  again at D. Let E be a point on the arc BDC and F a point on the side BC such that

$$\angle BAF = \angle CAE < \frac{1}{2}\angle BAC.$$

Finally, let G be the midpoint of  $\overline{IF}$ . Prove that  $\overline{DG}$  and  $\overline{EI}$  intersect on  $\Gamma$ .

### 5 Bonus Problems

**Problem 18** (Russia 2014). Let ABC be a triangle with AB > BC and circumcircle  $\Omega$ . Points M, N lie on the sides AB, BC respectively, such that AM = CN. Lines MN and AC meet at K. Let P be the incenter of the triangle AMK, and let Q be the K-excenter of the triangle CNK. If R is midpoint of arc ABC of  $\Omega$  then prove that RP = RQ.

**Problem 19.** Let ABC be a triangle with circumcircle  $\Omega$ , and let D be any point on  $\overline{BC}$ . We draw a *curvilinear incircle* tangent to  $\overline{AD}$  at L, to  $\overline{BC}$  at K and internally tangent to  $\Omega$ . Show that the incenter of triangle ABC lies on  $\overline{KL}$ .

## 6 Hints to the Problems

- 1. Tautological.
- **2.** Who is *O*?
- **3.** Point F is the circumcenter of  $\triangle ABC$ . Who are D and E?
- **4.** What is the incenter of  $\triangle DEF$ ? What is the *D*-excenter?
- **5.** Show that AC = 4.
- **6.** Apply Ptolemy's Theorem.
- **7.** Who is C? Erase E.
- 8. Apply Ptolemy's Theorem.
- **9.** Since  $\angle BHC = \angle BIC = \angle BOC = 120^{\circ}$ , points H and O now lie on the magic circle too. So IH = IO is just an equality of certain arcs.
- 10. Use the angle condition to show that P also lies on the magic circle.
- 11. The point H lies on the magic circle. So  $\angle IHC = \angle 180^{\circ} \angle IBC$ .
- **12.** You need to do quite a bit of angle chasing. Show that R is the incenter of  $\triangle CDE$ . Who is B?
- **13.** Both M and P are arc midpoints. (Why?)
- **14.** First show that  $S, T, I, I_A$  are concyclic, say by  $NI \cdot NS = NM^2 = NI_A \cdot NT$ .
- **15.** Add the incenter I. Line MN is a tangent.
- **16.** Add in point L, the midpoint of arc BC. By Power of a Point, it's equivalent to prove  $AI \cdot IL = 2Rr$ , which can be done with similar triangles.
- 17. Take a homothety with ratio 2 at I. This sends G to F and D to the A-excenter.
- 18. Construct arc midpoints on the circumcircles of both  $\triangle AMJ$  and  $\triangle CNK$ . Use spiral similarity at R.
- 19. Let the tangency point to  $\Omega$  be T, let M be the midpoint of arc BC, and let lines KL and AM meet at I. Show that M, K, T are collinear. Show that ALIT is cyclic. Prove that  $MI^2 = MK \cdot MT = MC^2 = MI^2$ .