# Romania JBMO TST 2019/3.1

## **Evan Chen**

TWITCH SOLVES ISL

Episode 19

## **Problem**

Find all pairs (a, b) of relatively prime positive integers such that

$$a^2 + b = (a - b)^3$$
.

## Video

https://youtu.be/yAU826DfIdo

### Solution

The only answer is (a, b) = (5, 2) which works.

To see it is the only one, note that taking modulo a and b respectively gives:

• 
$$b = (-b)^3 \pmod{a} \implies a \mid b^2 + 1$$

• 
$$a^2 = a^3 \pmod{b} \implies b \mid a - 1$$
.

Let us set  $a = k \cdot b + 1$ . Then the first equation gives

$$kb + 1 \mid k(b^2 + 1) = k \cdot kb + k \implies kb + 1 \mid -b + k.$$

For size reasons this forces k=b, else |kb+1|>|k-b|>0. In other words, we need  $a=b^2+1.$  So

$$(b^2 + 1)^2 + b = (b^2 + 1 - b)^3.$$

Now a calculation shows

$$(b^2 - b + 1)^3 - \left[ (b^2 + 1)^2 + b \right] = b(b - 2)(b^2 + 1)(b^2 + b - 2)$$

so b = 2 is the only integer solution.