IMO 2023/2

Evan Chen

TWITCH SOLVES ISL

Episode 129

Problem

Let ABC be an acute-angled triangle with AB < AC. Let Ω be the circumcircle of ABC. Let S be the midpoint of the arc CB of Ω containing A. The perpendicular from A to BC meets BS at D and meets Ω again at $E \neq A$. The line through D parallel to BC meets line BE at D. Denote the circumcircle of triangle DD by D. Let D meet D again at D again at D are D are that the line tangent to D at D meets line D on the internal angle bisector of D are the internal angle D and D are the internal angle D are

Video

https://youtu.be/Alz20WHH7QY

External Link

https://aops.com/community/p28097552

Solution

Claim. We have LPS collinear.


Proof. Because
$$\angle LPB = \angle LDB = \angle CBD = \angle CBS = \angle SCB = \angle SPB$$
.

Let F be the antipode of A, so AMFS is a rectangle.

Claim. We have PDF collinear. (This lets us erase L.)

Proof. Because
$$\angle SPD = \angle LPD = \angle LBD = \angle SBE = \angle FCS = \angle FPS$$
.

Let us define $X = \overline{AM} \cap \overline{BS}$ and complete chord \overline{PXQ} . We aim to show that \overline{PXQ} is tangent to (PDLB).




Claim (Main projective claim). We have XP = XA.

Proof. Introduce $Y = \overline{PDF} \cap \overline{AM}$. Note that

$$-1 = (SM; EF) \stackrel{A}{=} (S, X; D, \overline{AF} \cap \overline{ES}) \stackrel{F}{=} (\infty X; YA)$$

where $\infty = \overline{AM} \cap \overline{SF}$ is at infinity (because AMSF is a rectangle). Thus, XY = XA.



Since $\triangle APY$ is also right, we get XP = XA.

Alternative proof of claim without harmonic bundles, from Solution 9 of the marking scheme. With $Y = \overline{PDF} \cap \overline{AM}$ defined as before, note that $\overline{AE} \parallel \overline{SM}$ and $\overline{AM} \parallel \overline{SF}$ (as AMFS is a rectangle) gives respectively the similar triangles

$$\triangle AXD \sim \triangle MXS$$
, $\triangle XDY \sim \triangle SDF$.

From this we conclude

$$\frac{AX}{XD} = \frac{AX + XM}{XD + SX} = \frac{AM}{SD} = \frac{SF}{SD} = \frac{XY}{XD}.$$

So AX = XY and as before we conclude XP = XA.

From XP=XA, we conclude that \widehat{PM} and \widehat{AQ} have the same measure. Since \widehat{AS} and \widehat{EM} have the same measure, it follows \widehat{PE} and \widehat{SQ} have the same measure. The desired tangency then follows from

$$\angle QPL = \angle QPS = \angle PQE = \angle PFE = \angle PDL.$$

Remark (Logical ordering). This solution is split into two phases: the "synthetic phase" where we do a bunch of angle chasing, and the "projective phase" where we use cross-ratios because I like projective. For logical readability (so we write in only one logical direction), the projective phase is squeezed in two halves of the synthetic phase, but during an actual solve it's expected to complete the whole synthetic phase first (i.e. to reduce the problem to show XP = XA).

Remark. There are quite a multitude of approaches for this problem; the marking scheme for this problem at the actual IMO had 13 different solutions.